

---

# ***ECE 2C, notes set 1: Fourier Series***

***Mark Rodwell***

***University of California, Santa Barbara***

rodwell@ece.ucsb.edu 805-893-3244, 805-893-3262 fax

# Goals of this note set:

---

Remember how to represent sine waves as phasors  $\leftrightarrow e^{j\omega t}$

Understand what a Fourier series *is*.

Understand what a Fourier transform *is*.

...where they come from

...and how they work

Review how to use Fourier transforms to find circuit transient response.

# Fourier Transforms and Fourier Series

---

Why ?


We must often solve ordinary and partial differential equations.

We need efficient tools to do this.

We want better understanding and intuition.

# Solving Simple Differential Equations

A simple First-order circuit:



How do we solve for  $v_{out}(t)$  given  $v_{in}(t)$ ?

First method, which can be laborious,

is to directly solve the differential equation.


# Solving Simple Differential Equations

FROM Nodal analysis,

$$v_i(t) = v_o(t) + \tau \cdot 2v_o(t) / \tau t$$

2 pages work  $\leftarrow$  !

$$v_o(t) = v_i(t) \cdot 1V \cdot [1 - e^{-t/\tau}]$$



We need better ways to solve such problems

# Phasors

$$\text{If } c = a + jb = \|c\| e^{j\theta_c}$$
$$\text{then } \operatorname{Re} [c \cdot e^{j\omega t}] = \operatorname{Re} [\|c\| e^{j\theta_c} e^{j\omega t}]$$
$$= \|c\| \cos(\omega t + \theta_c)$$

so the complex #  $c$  represents the amplitude and phase of a cosine wave.

# Differential Equations: Easy to Solve with Sinewaves

Differential equations are easy to solve with  
Sinewaves.

$$(d/dt)(e^{j\omega t}) = j\omega(e^{j\omega t})$$

" $e^{j\omega t}$  is the eigen function of the derivative operation"

so given  $\tau \frac{dv_o(t)}{dt} + v_o(t) = v_{in}(t)$

and given  $v_o(t) = v_o e^{j\omega t}$  and  $v_{in}(t) = v_{in} e^{j\omega t}$

$$\Rightarrow j\omega\tau [v_o] + v_o = v_{in}$$

$$\text{so } \boxed{v_o = \frac{v_{in}}{1 + j\omega\tau}}$$

# Sinewaves and Complex Exponentials

---

Why work with  $e^{j\omega t}$  ? What is it ?

Euler identity :  $e^{j\omega t} = \cos(\omega t) + j \sin(\omega t)$

$$e^{j\omega t} = \cos(\omega t) + j \sin(\omega t) \quad e^{j\omega t} = \cos(\omega t) + j \sin(\omega t)$$

$$e^{-j\omega t} = \cos(\omega t) - j \sin(\omega t) \quad e^{-j\omega t} = \cos(\omega t) - j \sin(\omega t)$$

---

$$e^{j\omega t} + e^{-j\omega t} = 2 \cos(\omega t)$$

---


$$e^{j\omega t} - e^{-j\omega t} = 2j \sin(\omega t)$$

$$\cos(\omega t) = (e^{j\omega t} + e^{-j\omega t})/2 \quad \sin(\omega t) = (e^{j\omega t} - e^{-j\omega t})/2j$$

# Sinewaves and Complex Exponentials

$$\cos(\omega t) = (e^{j\omega t} + e^{-j\omega t})/2 \quad \text{and} \quad \sin(\omega t) = (e^{j\omega t} - e^{-j\omega t})/2j$$

Driving a circuit with a cosine or sine wave is the same as driving it with a pair of exponentials.



$$V_{in} = V_0 \cos(\omega t + \theta)$$


$$V_{in1} = (V_0 / 2) \exp(j\omega t + j\theta)$$

$$V_{in2} = (V_0 / 2) \exp(-j\omega t - j\theta)$$

Solve the problem by superposition, separately solving for  $V_{out}$  with  $V_1$  applied and  $V_{out}$  with  $V_2$  applied.

# Complex Exponentials: Ignoring the Real Part

Real part of  $e^{j\omega t} = \text{Re}\{e^{j\omega t}\} = \text{Re}\{\cos(\omega t) + j \sin(\omega t)\} = \cos(\omega t)$



$$\begin{aligned}
 V_{in}(t) &= V_{in} \exp(j\omega t) \\
 &= \|V_{in}\| \exp(j\theta_{V_{in}}) \exp(j\omega t) \\
 V_{out}(t) &= V_{out} \exp(j\omega t) \\
 &= \|V_{in}\| \exp(j\theta_{V_{out}}) \exp(j\omega t)
 \end{aligned}$$



$$\begin{aligned}
 V_{in}(t) &= \text{Re}\{V_{in} \exp(j\omega t)\} \\
 &= \|V_{in}\| \cos(\omega t + j\theta_{V_{in}}) \\
 V_{out}(t) &= \text{Re}\{V_{out} \exp(j\omega t)\} \\
 &= \|V_{out}\| \cos(\omega t + j\theta_{V_{out}})
 \end{aligned}$$

Apply the complex input, ignore the imaginary part of the output.

Proof 1: Principle of superposition.


Proof 2: Working through steps from previous page of notes.

# Representing signals as sets of sinewaves



This input signal is not a sinewave...  
 ...but we can represent it as a sum of sinewaves.

How do we do this?



# Understanding Fourier Transforms and Series

---


Students often have the Fourier Transform memorized, while having little sense of what it is or why it is done.

Fourier series and transform: writing a signal as a sum of sinewaves (or complex exponentials).


How do we do this ?

# Understanding Fourier: Signals are Vectors

Take an input signal




Approximate by a set of discrete steps.



(same method as integration : we can make  $\Delta t$  very small)

$V_{in}$  becomes a list of numbers



$V_{in}(t_1), V_{in}(t_2), \dots, V_{in}(t_N)$ .


A vector is a list of numbers. So,  $V_{in}(t)$  is a vector.  $\vec{V}_{in} = \begin{bmatrix} V_{in}(t_1) \\ V_{in}(t_2) \\ \vdots \\ V_{in}(t_N) \end{bmatrix}$

# Writing Vectors as Sums of Basis Vectors

The vector  $\vec{V}$  is a sum of the basis vectors  $\bar{x}_1, \bar{x}_2, \bar{x}_3$

$$\vec{V} = V_{x1} \bar{x}_1 + V_{x2} \bar{x}_2 + V_{x3} \bar{x}_3$$

$V_{x1}$  is simply the projection of  $\vec{V}$  in the  $\bar{x}_1$  - direction.



To find  $V_{x1}$ , take the dot product

$$\langle \vec{V} | \bar{x}_1 \rangle = V_{x1} \langle \bar{x}_1 | \bar{x}_1 \rangle + V_{x2} \langle \bar{x}_2 | \bar{x}_1 \rangle + V_{x3} \langle \bar{x}_3 | \bar{x}_1 \rangle$$

but  $\langle \bar{x}_1 | \bar{x}_1 \rangle = 1$ ,  $\langle \bar{x}_2 | \bar{x}_1 \rangle = 0$ , and  $\langle \bar{x}_3 | \bar{x}_1 \rangle = 0$ , so  $\langle \vec{V} | \bar{x}_1 \rangle = V_{x1}$

$$\rightarrow \vec{V} = \langle \vec{V} | \bar{x}_1 \rangle \bar{x}_1 + \langle \vec{V} | \bar{x}_2 \rangle \bar{x}_2 + \langle \vec{V} | \bar{x}_3 \rangle \bar{x}_3$$

# Vector Projection


$\vec{V}$  is made up of a sum of basis vectors  $\vec{x}_1, \vec{x}_2, \vec{x}_3$

$$\vec{V} = V_{x_1} \vec{x}_1 + V_{x_2} \vec{x}_2 + V_{x_3} \vec{x}_3$$

$V_{x_1}$  is "how much  $\vec{V}$  is made from  $\vec{x}_1$ ".

To find this, project  $\vec{V}$  onto  $\vec{x}_1$  (dot product)


$$V_{x_1} = \langle \vec{V} \mid \vec{x}_1 \rangle$$



# Change of Basis Vectors


The vector  $\vec{V}$  is a sum of the basis vectors  $\vec{x}_1, \vec{x}_2, \vec{x}_3$

$$\vec{V} = \langle \vec{V} | \vec{x}_1 \rangle \vec{x}_1 + \langle \vec{V} | \vec{x}_2 \rangle \vec{x}_2 + \langle \vec{V} | \vec{x}_3 \rangle \vec{x}_3$$




The vector  $\vec{V}$  is also a sum of the basis vectors  $\vec{y}_1, \vec{y}_2, \vec{y}_3$

$$\vec{V} = \langle \vec{V} | \vec{y}_1 \rangle \vec{y}_1 + \langle \vec{V} | \vec{y}_2 \rangle \vec{y}_2 + \langle \vec{V} | \vec{y}_3 \rangle \vec{y}_3$$



We can represent a vector using more than one set of basis vectors.

# Understanding Fourier: Continuous time




What is  $\langle \vec{V} \mid \vec{x}_1 \rangle$ ?

$$\langle \vec{V} \mid \vec{x}_1 \rangle = V(t_1)x_1(t_1) + V(t_2)x_1(t_2) + \dots + V(t_N)x_1(t_N)$$

If we make  $\Delta t \rightarrow 0$ , this becomes an integral.

$$\langle V(t) \mid x_1(t) \rangle = \frac{1}{T} \int_0^T V(t_1)x_1(t_1)dt$$

# Understanding Fourier: Our Set of Basis Vectors




$$a_0(t) = 1$$

$$a_1(t) = \sqrt{2} \cdot \cos\left(1 \cdot \frac{2\pi}{T} \cdot t\right) \quad b_1(t) = \sqrt{2} \cdot \sin\left(1 \cdot \frac{2\pi}{T} \cdot t\right)$$

$$a_2(t) = \sqrt{2} \cdot \cos\left(2 \cdot \frac{2\pi}{T} \cdot t\right) \quad b_2(t) = \sqrt{2} \cdot \sin\left(2 \cdot \frac{2\pi}{T} \cdot t\right)$$

$$a_n(t) = \sqrt{2} \cdot \cos\left(n \cdot \frac{2\pi}{T} \cdot t\right) \quad b_n(t) = \sqrt{2} \cdot \sin\left(n \cdot \frac{2\pi}{T} \cdot t\right)$$

# Understanding Fourier: Our Set of Basis Vectors




Are they of unit length ?

$$\langle a_0(t) | a_0(t) \rangle = \frac{1}{T} \int_0^T 1 \cdot dt = 1$$

$$\langle a_N(t) | a_N(t) \rangle = \frac{1}{T} \int_0^T 2 \cdot \cos^2 \left( n \cdot \frac{2\pi}{T} \cdot t \right) dt = \dots = 1$$

$$\langle b_N(t) | b_N(t) \rangle = \frac{1}{T} \int_0^T 2 \cdot \sin^2 \left( n \cdot \frac{2\pi}{T} \cdot t \right) dt = \dots = 1$$

# Understanding Fourier: Our Set of Basis Vectors



Are these functions perpendicular to each other?

Here is sketched the product  $b_1(t)b_2(t)$ .

Its integral between  $t = 0$  and  $t = T$  is clearly zero.

Sketch out other combinations yourself.

$$\langle a_2(t) | a_3(t) \rangle = \langle b_1(t) | a_3(t) \rangle = \text{etc} = 0.$$

The set of functions  $a_0(t), a_n(t), b_n(t)$  are a set of basis vectors.


# We Have Just Derived the Fourier Series

$$a_0(t) = 1$$

$$a_1(t) = \sqrt{2} \cdot \cos\left(1 \cdot \frac{2\pi}{T} \cdot t\right) \quad b_1(t) = \sqrt{2} \cdot \sin\left(1 \cdot \frac{2\pi}{T} \cdot t\right)$$

$$a_2(t) = \sqrt{2} \cdot \cos\left(2 \cdot \frac{2\pi}{T} \cdot t\right) \quad b_2(t) = \sqrt{2} \cdot \sin\left(2 \cdot \frac{2\pi}{T} \cdot t\right)$$

$$a_n(t) = \sqrt{2} \cdot \cos\left(n \cdot \frac{2\pi}{T} \cdot t\right) \quad b_n(t) = \sqrt{2} \cdot \sin\left(n \cdot \frac{2\pi}{T} \cdot t\right)$$



$$V(t) = \langle V(t) | a_0(t) \rangle a_0(t) + \langle V(t) | a_1(t) \rangle a_1(t) + \langle V(t) | a_2(t) \rangle a_2(t) + \dots$$

$$\dots + \langle V(t) | b_1(t) \rangle b_1(t) + \langle V(t) | b_2(t) \rangle b_2(t) + \dots$$

$$\langle V(t) | a_N(t) \rangle = \frac{1}{T} \int_0^T V(t) a_N(t) dt$$

$$\langle V(t) | b_N(t) \rangle = \frac{1}{T} \int_0^T V(t) b_N(t) dt$$

# We Have Just Derived the Fourier Series


$$V(t) = a_0 + a_1\sqrt{2} \cdot \cos\left(1 \cdot \frac{2\pi}{T} \cdot t\right) + a_2\sqrt{2} \cdot \cos\left(2 \cdot \frac{2\pi}{T} \cdot t\right) + a_3\sqrt{2} \cdot \cos\left(3 \cdot \frac{2\pi}{T} \cdot t\right) + \dots$$

$$\dots + b_1\sqrt{2} \cdot \sin\left(1 \cdot \frac{2\pi}{T} \cdot t\right) + b_2\sqrt{2} \cdot \sin\left(2 \cdot \frac{2\pi}{T} \cdot t\right) + b_3\sqrt{2} \cdot \sin\left(3 \cdot \frac{2\pi}{T} \cdot t\right) + \dots$$

$$a_0 = \frac{1}{T} \int_0^T V(t) dt$$

$$a_n = \frac{1}{T} \int_0^T V(t) \sqrt{2} \cdot \cos\left(n \cdot \frac{2\pi}{T} \cdot t\right) dt$$

$$b_n = \frac{1}{T} \int_0^T V(t) \sqrt{2} \cdot \sin\left(n \cdot \frac{2\pi}{T} \cdot t\right) dt$$



# Fourier Series: What does it mean ?


$$V(t) = a_0 + a_1\sqrt{2} \cdot \cos\left(1 \cdot \frac{2\pi}{T} \cdot t\right) + a_2\sqrt{2} \cdot \cos\left(2 \cdot \frac{2\pi}{T} \cdot t\right) + a_3\sqrt{2} \cdot \cos\left(3 \cdot \frac{2\pi}{T} \cdot t\right) + \dots$$

$$\dots + b_1\sqrt{2} \cdot \sin\left(1 \cdot \frac{2\pi}{T} \cdot t\right) + b_2\sqrt{2} \cdot \sin\left(2 \cdot \frac{2\pi}{T} \cdot t\right) + b_3\sqrt{2} \cdot \sin\left(3 \cdot \frac{2\pi}{T} \cdot t\right) + \dots$$

$$a_0 = \frac{1}{T} \int_0^T V(t) dt$$

$$a_n = \frac{1}{T} \int_0^T V(t) \sqrt{2} \cdot \cos\left(n \cdot \frac{2\pi}{T} \cdot t\right) dt$$


$$b_n = \frac{1}{T} \int_0^T V(t) \sqrt{2} \cdot \sin\left(n \cdot \frac{2\pi}{T} \cdot t\right) dt$$



We write a signal as a sum of DC, sinewaves and cosine waves.

The magnitude of the signal's component at any frequency (sine or cosine) is simply the dot product (projection integral) of the signal and the sine wave or cosine wave at that frequency.

# Complex Exponential Fourier Series



Dot product for complex functions :  $\langle a(t) | b(t) \rangle = \frac{1}{T} \int_0^T a(t) b^*(t) dt$


Euler identity :  $e^{j\omega t} = \cos(\omega t) + j \sin(\omega t)$

Basis functions :  $c_n(t) = \exp(jn\omega_0 t)$  where  $\omega_0 = 2\pi / T$

$$V(t) = \sum_{n=-\infty}^{n=\infty} \langle V(t) | c_n(t) \rangle c_n(t) = \sum_{n=-\infty}^{n=\infty} c_n \exp(jn\omega_0 t)$$

where  $c_n = \frac{1}{T} \int_0^T V(t) \exp(-jn\omega_0 t) dt$

# Fourier Integrals / Fourier Transforms




If we take the time limit  $T$  of the function to infinity,

the sum of frequencies becomes an integral.  $\langle a(t) | b(t) \rangle = \frac{1}{T} \int_0^T a(t) b^*(t) dt$

$$V(t) = \frac{1}{2\pi} \int_{-\infty}^{+\infty} \langle V(t) | \exp(j\omega t) \rangle \exp(j\omega t) d\omega = \frac{1}{2\pi} \int_{-\infty}^{+\infty} F(j\omega) \exp(j\omega t) d\omega$$

$$\text{where } F(j\omega) = \langle V(t) | \exp(j\omega t) \rangle = \int_{-\infty}^{+\infty} V(t) \exp(-j\omega t) dt$$

# Solving Circuits Using Fourier Transforms



we know that if  $v_{in}(t) = v_i e^{j\omega t}$   
 $v_o(t) = v_o e^{j\omega t} = v_i \cdot H(j\omega) \cdot e^{j\omega t}$

what if  $V_{in}(t)$  is not a sin wave?

write  $V_{in}(t)$  as a sum of sin waves!

# Solving Circuits Using Fourier Transforms

$$V_{in}(t) = v_{i,1} e^{j\omega_1 t} + v_{i,2} e^{j\omega_2 t} + \dots$$

usually an infinite # of sinewaves is needed:

$$= \int_{-\infty}^{+\infty} \frac{F(j\omega)}{2\pi} e^{j\omega t} d\omega$$

An integral is just an infinite sum - over  $\omega \rightarrow "d\omega"$

- of sinewaves of different frequency  $e^{j\omega t}$

- each having different amplitude and

phase:  $\frac{F(j\omega)}{2\pi}$

# Solving Circuits Using Fourier Transforms

So we can represent

$$v_{in}(t) = \frac{1}{2\pi} \int_{-\infty}^{+\infty} V_{in}(j\omega) e^{j\omega t} d\omega$$

("Inverse Fourier Transform")

as a sum of sinewaves, each of whose amplitude and phase  $V_{in}(j\omega)$  are found by projecting  $v_{in}(t)$  against that particular sinewave

$$V_{in}(j\omega) = \int_{-\infty}^{+\infty} v_{in}(t) e^{-j\omega t} dt$$

("Fourier transform")

# Solving Circuits Using Fourier Transforms

So, our method of solving transient problems:

- 1) Convert  $V_{in}(t)$  into a sum of sineswaves  $e^{j\omega t}$

$$V_{in}(j\omega) = \langle V_{in}(t) / e^{j\omega t} \rangle$$

"Take the Fourier transform"

- 2) Compute the response of the circuit to a sinewave  $e^{j\omega t}$

$$V_o / V_i = H(j\omega) \Leftrightarrow$$

"Compute the transfer function"


# Solving Circuits Using Fourier Transforms

---

3) Multiply the amplitude and phase of each  
sine wave which makes up  $v_{in}(t)$   
by this transfer function

4) Add these responses up to find  
 $v_{out}(t)$  "take the inverse Fourier transform"

# Solving Circuits Using Fourier Transforms



$$v_i(t) = v_o(t) + \tau \frac{\partial v_o(t)}{\partial t}$$

$$V_i(j\omega) = \int_{-\infty}^{+\infty} v_i(t) e^{-j\omega t} dt \quad \text{KNOWN}$$

$$V_o(j\omega) = \int_{-\infty}^{+\infty} v_o(t) e^{-j\omega t} dt \quad \text{UNKNOWN}$$

# Solving Circuits Using Fourier Transforms

For any "sinusoidal" ( $e^{-j\omega t}$ ) component of the signal

$$V_i(j\omega) = V_o(j\omega) + j\omega T V_o(j\omega)$$

$$\rightarrow \frac{V_o(j\omega)}{V_i(j\omega)} = H(j\omega) = \frac{1}{1 + j\omega T}$$

hence

$$V_{out}(t) = \frac{1}{2\pi} \int_{-\infty}^{+\infty} \frac{V_i(j\omega)}{1 + j\omega T} e^{j\omega t} d\omega$$

Sum of all responses.