

Construction of Vertex-Disjoint Paths in Alternating Group Networks

(April 22, 2009)

Shuming Zhou

Key Laboratory of Network Security and Cryptology, Fujian Normal University, Fuzhou, Fujian 350108, P.R. China
College of Mathematics & Computer Science, Fujian Normal University, Fuzhou, Fujian 350108, P.R. China

Wenjun Xiao

Dept. Computer Science, South China University of Technology, Guangzhou, Guangdong 510641, P.R. China

Behrooz Parhami (contact author)

Dept. Electrical & Computer Engineering, University of California, Santa Barbara, CA 93106-9560, USA
Phone: +1 805 893 3211 ✦ Fax: +1 805 893 3262 ✦ E-mail: parhami@ece.ucsb.edu

Abstract—The existence of parallel node-disjoint paths between any pair of nodes is a desirable property of interconnection networks, because such paths allow tolerance to node and/or link failures along some of the paths, without causing disconnection. Additionally, node-disjoint paths support high-throughput communication via the concurrent transmission of parts of a message. We characterize maximum-sized families of parallel paths between any two nodes of alternating group networks. More specifically, we establish that in a given alternating group network AN_n , there exist $n - 1$ parallel paths (the maximum possible, given the node degree of $n - 1$) between any pair of nodes. Furthermore, we demonstrate that these parallel paths are optimal or near-optimal, in the sense of their lengths exceeding the internode distance by no more than four. We also show that the wide diameter of AN_n is at most one unit greater than the known lower bound $D + 1$, where D is the network diameter.

Keywords—Alternating group graphs; Fault-tolerant routing; Node-disjoint paths; Parallel paths; Robustness; Wide diameter.

This work was supported in part by the Natural Science Foundation of Fujian Province through grants 2007F3025 and 2007J0316.

1. Introduction

Designers of massively parallel computers, interconnection structures, and networked distributed systems seek desirable attributes that include low node degree, structural regularity, small diameter, rich connectivity, support for simple and efficient routing algorithms, and strong fault tolerance [6, 23, 25]. The efforts to achieve reliability, robustness, maximum concurrency, and minimal transmission delay, exhibited in many recent studies [3, 5-11, 14, 15, 18, 19, 24, 25], will likely intensify as the extent of parallelism and interconnection complexity, both on- and off-chip, continue to increase. Topologies proposed to interconnect the nodes in both parallel and distributed systems have been modeled as graphs, in which the vertices/nodes correspond to processors or routers and the edges/links represent communication channels.

Interestingly, the existence of node-disjoint paths between arbitrary source-destination pairs bears on all the important objective above, given that existence of such “parallel” paths can help improve reliability, fault tolerance, message throughput, and communication latency. Greater reliability results from tolerance to node and/or link failures along some paths. Improved throughput and communication latency result from the possibility of concurrent transmission of message segments. It is thus of great practical interest to compare various networks with respect to the multiplicity and ease of construction for such parallel paths.

Despite a large collection of widely studied interconnection networks and their associated graphs, each with its proponents and staunch defenders, new networks continue to emerge. It is well-known in the parallel and distributed processing community that there is no such thing as a “best” network [20]; assessment of networks with regard to their suitability requires attention to a multitude of structural and performance parameters. A parallel system composed of custom chip-multiprocessors has different bandwidth and latency requirements than a data center or cloud-computing hub with independently operating commodity nodes. Similarly, on-chip [22], system-area [12], and long-haul [13] networks entail different challenges, optimality criteria, and tradeoffs, as do a variety of virtual structures, such as peer-to-peer overlay networks [21].

As we scale up to multimillion-node systems of each type, reliance on commodity interconnects will become increasingly problematic. System performance in such large-scale deployments will likely be limited by communication latency and bandwidth, thus necessitating highly optimized interconnection structures. At such large scales, both richly connected networks (exemplified by high-dimensional k -ary n -cubes) and hierarchical networks with ad-hoc connectivity (clusters and the like) would be unmanageable. Efficient routing decisions and rapid reconfiguration in the event of link and node failures would only be possible if the network in question had systematic properties that could be exploited within the framework of low-complexity and readily scalable distributed algorithms.

Within families of networks that possess desirable uniformity and regularity properties, and hence theoretically tractable (efficient, flexible, and provably correct) distributed algorithms for adaptive routing and reconfiguration, a class based on finite mathematical groups, dubbed Cayley graphs [1], has shown great promise. A wide array of rigorous theoretical results have been obtained for such network. Among Cayley-graph interconnection architectures studied over the past three decades, the hypercube has drawn the greatest attention, given its many attractive properties, including small degree, low diameter, symmetry, strong fault tolerance, and efficient routing algorithms. The hypercube, and its numerous modified forms or variants, such as crossed, folded, twisted, and enhanced cubes, have been studied extensively [25]. These classes of networks are collectively known as hypercubic networks. A method to construct n (the maximum possible) vertex-disjoint paths for the n -dimensional hypercube Q_n has been proposed in [3]. Duh, Chen, and Hsu [8] investigated combinatorial properties of generalized hypercubes, including best containers, wide diameter, and fault diameter.

A widely studied alternative to the hypercube, the star graph [2], enjoys most of the desirable properties of the hypercube at considerably lower cost, accommodating more nodes with less interconnection hardware and smaller communication delay. Like the hypercube, the star graph is hierarchically structured and is a member of the class of Cayley graphs. Day and Tripathi [6] identified the $n - 1$ (maximum possible) vertex-disjoint paths of the star graph S_n and presented a

comparative study of S_n and Q_n . Recently, Lin and Duh [19] described a novel routing algorithm for constructing a container of width $n - 1$ between any pair of vertices in a generalized star graph, denoted as the (n, k) -star graph.

The alternating group network AN_n , which has a construction similar to the star graph, was proposed by Youhu [27] to improve upon the alternating group graph AG_n , originally advocated by Jwo, Lakshmivarahan, and Dhall [16, 17]. Chen, Xiao, and Parhami [4] presented an optimal routing algorithm for the class of alternating group networks. It is the potential advantages of alternating group networks over their better-known brethren that attracts us to them as candidate networks for providing large-scale connectivity in parallel and distributed systems.

In this paper, we expand on the previously known results about AN_n by constructing containers of maximum width, deriving the best containers, and computing the wide diameter and fault diameter for AN_n . The rest of the paper is organized as follows. Section 2 introduces AN_n , along with some definitions and notations needed for our discussion. Section 3 is devoted to the construction of containers of AN_n and the presentation of upper and lower bounds on its wide diameter for $n \geq 4$. Section 4 concludes the paper.

2. Background and Definitions

This section is devoted to introducing background material and notational conventions needed to understand the rest of this paper. In the study of multiprocessor systems, the topology of a system is often adequately represented by a graph $G = G(V, E)$, where each node $u \in V$ denotes a processor and each edge $(u, v) \in E$ denotes a link between nodes u and v . The distance from vertex u to vertex v , represented by $d(u, v)$, refers to the length of a shortest path from u to v in G . The diameter of G , denoted by $D(G)$, is defined as the maximum distance for all pairs of distinct vertices u and v in G . For a subset $S \subset V$ of nodes, the notation $G - S$ represents the subgraph obtained by removing the vertices in S from G and also deleting all edges with at least one end vertex in S . If $G - S$ is disconnected, then S is called a vertex cut or a separating set.

The connectivity $\kappa(G)$ of a graph $G(V, E)$, or simply κ if the intended graph is unambiguous, is the minimum number of nodes whose removal results in a disconnected or a trivial (one-node) graph. Let $\kappa(G)$ be the connectivity of G . According to *Menger's theorem*, at least $\kappa(G)$ vertex-disjoint paths exist between arbitrary distinct vertices u and v in G . The set $C_\kappa(u, v)$ of such paths is also called a container of width κ between u and v . The length $l(C_\kappa(u, v))$ of $C_\kappa(u, v)$ is defined as the length of the longest path in $C_\kappa(u, v)$. A best container between u and v , denoted by $C_\kappa^*(u, v)$, is a container of shortest length. Let $d_\kappa(u, v)$ be the κ -wide distance from u to v , that is $d_\kappa(u, v) = l(C_\kappa^*(u, v))$. The κ -wide diameter (or wide diameter) of G , denoted by $d_\kappa(G)$, is defined as the maximum of $d_\kappa(u, v)$ for all pairs of distinct vertices u and v in G [7, 9, 14, 18, 25].

Suppose that H is a group and S is a generating set. The Cayley graph $G = \text{Cay}(H, S)$ is constructed as follows: (1) Each element h of H is assigned a vertex, the vertex set $V(G)$ of G is identified with H ; (2) For any $h \in H$ and $s \in S$, the vertices corresponding to the elements h and hs are joined by a directed edge (h, hs) . Thus the edge set $E(G)$ consists of pairs of the form (h, hs) . The Cayley graph $G = \text{Cay}(H, S)$ is undirected if the set S is symmetric, i.e. $S = S^{-1}$; the graph $G = \text{Cay}(H, S)$ has no loop if the identity element e of the group H is not in S , i.e. $e \notin S$.

Many important and extensively studied interconnection networks, such as super-torus, hypercube, star graph, and alternating group graph are Cayley graphs [1, 17]. Define $\langle n \rangle$ as the set $\{1, 2, \dots, n\}$ and let $p = p_1 p_2 \dots p_n$ be a permutation of the elements of $\langle n \rangle$, that is, $p_i \in \langle n \rangle$ and $p_i \neq p_j$ for $i \neq j$. We may refer to p_i as $p(i)$, or the i th element of p , or use brackets to delineate elements of a permutation when simply juxtaposing them would lead to ambiguities. A permutation $p = p_1 p_2 \dots p_n$ of the elements in $\langle n \rangle$ can be represented by its cycle structure, i.e., cyclically ordered sets of symbols with the property that each symbol's desired position is that occupied by the next symbol in the set. For example, the permutation $p = 64725831$ consists of the three cycles $C_1 = (681)$, $C_2 = (42)$, and $C_3 = (73)$. Let $p = C_1 C_2 \dots C_k e_1 e_2 \dots e_l$, where C_i is a cycle of length $|C_i| \geq 2$, for $1 \leq i \leq k$, and e_j is an invariant for $1 \leq j \leq l$. Thus, we have $n = |C_1| + |C_2| + \dots + |C_k| + l$.

An alternating group network AN_n [27] is defined to be a Cayley graph $G = G(V, E)$ on the alternating group A_n , where V is the set of all even permutations of $\langle n \rangle = \{1, 2, \dots, n\}$ and E consists of symmetric edges (u, v) such that two permutations u and v are connected by an edge iff one can be reached from the other through the operations $v = f(u), f \in \{g_l, g_r, z_i \mid i = 4, \dots, n\}$. In the latter set, $g_l = (\begin{smallmatrix} 1 & 2 & 3 & 4 & \dots & n \\ 2 & 3 & 1 & 4 & \dots & n \end{smallmatrix}) = (123)$ corresponds to shifting the first (leftmost) three symbols cyclically to the left by one position. Similarly, $g_r = (\begin{smallmatrix} 1 & 2 & 3 & 4 & \dots & n \\ 3 & 1 & 2 & 4 & \dots & n \end{smallmatrix}) = (312)$ implies shifting the first three symbols cyclically to the right by one position. Finally, $z_i = (\begin{smallmatrix} 1 & 2 & 3 & 4 & \dots & i & \dots & n \\ 2 & 1 & i & 4 & \dots & 3 & \dots & n \end{smallmatrix}) = (12)(3\ i)$ corresponds to swapping symbols 1 and 2, as well as symbols 3 and i , for some $i = 4, \dots, n$. So, the alternating group network AN_n is a regular graph with $n!/2$ nodes, $n!(n-1)/4$ edges, and node degree $n-1$. Youhu [27] has shown that AN_n is Hamiltonian and has a diameter of $\lceil 3(n-2)/2 \rceil$. Each alternating group network AN_n can be decomposed into n sub-alternating group networks $AN_n^1, AN_n^2, \dots, AN_n^n$, where each AN_n^i fixes i in the last position of the label strings representing the vertices and is isomorphic to AN_{n-1} . The edges that cross between these sub-alternating group networks constitute a perfect matching.

Let $p = p_1 p_2 \dots p_n$ be an even permutation representing one vertex of AN_n . The symbol p_i in $p = p_1 p_2 \dots p_n$ is fixed if $p_i = i$, and it is misplaced if $p_i \neq i$. The vertex $e = 12 \dots n$ is the identity vertex for which $p_i = i$ for all $1 \leq i \leq n$. In devising a routing algorithm, the vertex symmetry of AN_n allows us to assume that e is the destination vertex. We aim to construct $n-1$ vertex-disjoint paths from an arbitrary vertex p to e by ‘‘correcting’’ each non-fixed symbol to a fixed symbol. Similar to the corresponding operations for the star graph and the (n, k) -star, a non-fixed symbol should be moved to its desired position by first moving it to position 3. Non-fixed symbols can be presented within a cycle representation, and cyclically shifting the symbols in one cycle does not alter the occupying property of each symbol. Assume that the cycle representation for vertex p is $C_1 C_2 \dots C_k$ with $C_i = (r_{i,1}, r_{i,2}, \dots, r_{i,k_i})$, where k_i is the length of the cycle C_i . The symbol $r_{i,j}$ is the j th symbol of C_i , and $r_{i,1}$ is the head of C_i . In particular, if a cycle contains the symbol 3, we always assume the cycle is C_1 , and normalize C_1 's representation via rotations, so that the symbol 3 is the tail (last) symbol r_{1,k_1} and p_3 is the head symbol $r_{1,1}$. Figure 1 depicts the first three alternating group networks AN_3, AN_4 , and AN_5 .




Fig. 1. The first three alternating group networks with 3, 12, and 60 nodes.

To prepare for the rest of our discussion, we reproduce in the following an optimal routing algorithm that can generate a shortest path between any two vertices of AN_n [4]. Algorithm 1 is fully distributed, in the sense that it quickly determines the next node p' on a shortest path from the current node p to the destination node e , using only the identities of p and e .

```

Algorithm 1: Route( $p = p_1 p_2 \cdots p_n$ )
    {returns  $p'$ , the first node on a shortest path from  $p$  to  $e$  in  $AN_n$ }
Case 1: if  $p_3 > 3$ 
    then  $p' = pz_{p_3}$ 
    endif
Case 2: if  $p_3 = 3$ 
    then if  $p_4 = 4, p_5 = 5, \dots, p_n = n$ 
        then stop
        else  $p' = pz_t$ , where  $t > 3$  and  $p_t \neq t$ 
        endif
    endif
Case 3: if  $p_3 < 3$ 
    then if  $p_1 < 3$  or  $p_2 < 3$ 
        then if  $p_1 < 3$ 
            then  $p' = pg_r$ 
            else  $p' = pg_l$ 
            endif
        else if ( $p_3 = 1$  and 2 is not in the cycle (31  $\cdots$ )) or
            ( $p_3 = 2$  and 1 is not in the cycle (32  $\cdots$ ))
            then  $p' = pg_r$ 
            else  $p' = pg_l$ 
            endif
        endif
    endif
endif

```

Note that Algorithm 1 leads to the construction of a single shortest path from a source node to a destination node in AN_n , thus demonstrating that finding a shortest path for an alternating group network is relatively straightforward. We will see shortly, in Theorem 1 and its proof, that constructing the maximum number of parallel (node-disjoint) paths, all of which are close to minimum length, is a significantly more difficult endeavor.

The following result (Lemma 1) from reference [4] is needed for our subsequent discussion.

Lemma 1 [4]: For any node p of AN_n , let the canonical cycle structure be $C_1C_2 \dots C_k$, and define $m = |C_1| + |C_2| + \dots + |C_k|$. If 3 is an invariant, then the distance $d(p, e)$ from node p to the identity node e is given by $h(p)$ defined below:

$$\begin{aligned}
h(p) &= m + k && \text{if } p_1 = 1 \text{ and } p_2 = 2 \\
&= m + k - 3 && \text{if } p_1 = 2 \text{ and } p_2 = 1 \\
&= m + k && \text{if } |\{p_1, p_2\} \cap \{1, 2\}| = 1, \text{ and } 1 \text{ or } 2 \text{ is an invariant} \\
&= m + k - 1 && \text{if } |\{p_1, p_2\} \cap \{1, 2\}| = 1, \text{ and } 1, 2 \text{ belong to the same cycle } C_i \\
&= m + k && \text{if } |\{p_1, p_2\} \cap \{1, 2\}| = 0, \text{ and } 1, 2 \text{ belong to the same cycle } C_i \\
&= m + k - 1 && \text{if } |\{p_1, p_2\} \cap \{1, 2\}| = 0, \text{ and } 1, 2 \text{ belong to different cycles}
\end{aligned}$$

If 3 is not an invariant, then $d(p, e) = h(p) - 2$. ■

3. Construction of Parallel Paths

In the following, we address the problem of constructing parallel paths between two arbitrary nodes of the alternating group network AN_n . The ideas for our constructions originated from Day and Tripathi [6], and Lin and Duh [19]. We first construct a family of parallel paths of minimum distance, then extend this family to its maximum possible size, $n - 1$, by adding parallel paths that are only slightly longer than the shortest paths. We distinguish two cases. In the first case, the source and the destination permutations have the same third symbol, while in the second case, they have different third symbols. Because the alternating group network AN_n is vertex-symmetric, we need only deal with the construction of parallel paths between an arbitrary node and the special node labeled with the identity permutation $e = 12 \dots n$.

Let e_j , where $1 \leq j \leq n - m$, be a fixed symbol in a vertex p , excluding the symbol 3. Note that we do not allow $e_j = 3$, even when $p_3 = 3$ is fixed. An e_j -path is generated by first moving the symbol e_j to position 3, and then keeping e_j away from its desired position, until all other symbols have been corrected. The e_j -path thus constructed is denoted by $\pi(e_j)$. Clearly, no $\pi(e_j)$ path can be constructed if $m = n$. We use underlining at each step to indicate which symbol is being corrected. Some steps in these paths do not correspond to a symbol correction, but to a preparation for a symbol correction by moving the desired symbol to the third position.

Theorem 1: There are $n - 1$ vertex-disjoint paths between any two vertices of the alternating group network AN_n . Furthermore, the length of each of these paths is bounded by $d(u, v) \leq l \leq d(u, v) + 4$, where $d(u, v)$ is the distance between u and v .

Proof: By the vertex symmetry of AN_n , it suffices to show the result for one vertex labeled with an arbitrary even permutation $p = C_1 C_2 \dots C_k e_1 e_2 \dots e_l$ and the special vertex labeled with the identity permutation $e = 12 \dots n$. The proof is composed of two parts, each with several cases. Because of the many cases and tedious derivations involved, the proof is given in Appendices A (the case of $p_3 = 3$) and B (the case of $p_3 \neq 3$). Table 1 lists the various cases and subcases in the proof for ready reference and to illustrate the proof outline. ■

Table 1

The structure of the proof of Theorem 1 in terms of parts (A/B), cases (1-6), and subcases (a/b). The label given in the leftmost column corresponds to the (sub)section in Appendix A or B where the corresponding proof can be found.

Case	p_3	p_1, p_2	Status of 1 and 2	Status of 3 when $p_3 \neq 3$
A1	$p_3 = 3$	$\{p_1, p_2\} = \{1, 2\}$	$p_1 = 1$ and $p_2 = 2$	
A2			$p_1 = 2$ and $p_2 = 1$	
A3		$\{p_1, p_2\} \cap \{1, 2\} = \{r\}$	$p_1 = 1$ or $p_2 = 2$	
A4			1, 2 in same cycle	
A5			1, 2 in different cycles	
A6			$\{p_1, p_2\} \cap \{1, 2\} = \Phi$	
B1	$p_3 \neq 3$	$\{p_1, p_2\} = \{1, 2\}$	$p_1 = 1$ and $p_2 = 2$	(no subcase used)
B2			$p_1 = 2$ and $p_2 = 1$	
B3a		$\{p_1, p_2\} \cap \{1, 2\} = \{r\}$	$p_1 = 1$ or $p_2 = 2$	3, r in same cycle
B3b				3, r in different cycles
B4a			1, 2 in same cycle	3 in same cycle as 1, 2
B4b			1, 2 in same cycle	3 in different cycle from 1, 2
B5a			1, 2 in different cycles	3 in same cycle as 1 or 2
B5b				3 in different cycle from 1, 2
B6a		$\{p_1, p_2\} \cap \{1, 2\} = \Phi$	1, 2 in same cycle	3 in same cycle as 1, 2
B6b				3 in different cycle from 1, 2

Theorem 2: The family of $n - 1$ paths from any vertex to the identity vertex e constructed by the parallel routing rule above are internode-disjoint, meaning that they do not share any vertex other than their end points.

Proof: We only show that the family of $n - 1$ paths from any vertex p with $p_3 \neq 3$ to e are node-disjoint. The proof of the case with $p_3 = 3$ is similar and is thus omitted for brevity.

(1) Let $\pi(r_{i,1})$ denote the path constructed from p to e along which the m misplaced symbols are corrected according the order $(C_i, C_{i+1}, \dots, C_k, C_1, C_2, \dots, C_{i-1})$. Similarly, let $\pi(r_{j,1})$ be the path constructed from p to e along which the m misplaced symbols are corrected according the order $(C_j, C_{j+1}, \dots, C_k, C_1, C_2, \dots, C_{j-1})$, where $i < j$. Let $\pi_t(r_{i,1})$ be the t th vertex in the path $\pi(r_{i,1})$, where, $\pi_0(r_{i,1}) = p$. Obviously, $\pi_1(r_{i,1})$ is different from every vertex in $\pi(r_{j,1})$, because $\pi_1(r_{i,1})$ and $\pi_1(r_{j,1})$ are distinct neighbors of p and a symbol $r_{j,1}$ in $\pi_1(r_{j,1})$ except p has already been corrected to its desired position. Each vertex $\pi_t(r_{i,1})$, $t \geq 2$, has the symbol $r_{i,1}$ fixed, but $r_{i-1, k_{i-1}}$ misplaced. By the rotation property, the correction order of $r_{i-1, k_{i-1}}$ precedes that of $r_{i,1}$ in the path $\pi(r_{j,1})$. So, there are no vertices in $\pi(r_{j,1})$ that have the symbol $r_{i,1}$ fixed, but $r_{i-1, k_{i-1}}$ misplaced. Therefore, $\pi(r_{i,1})$ and $\pi(r_{j,1})$ are disjoint.

(2) For each $r_{i,j} \neq r_{i,1}$ ($2 \leq i \leq k$, $2 \leq j \leq k_i$), the path $\pi(r_{i,j})$ is constructed from p to e along which the m misplaced symbols are corrected according the order $(r_{i,j}, r_{i,j+1}, \dots, r_{i,k_i}, C_{i+1}, \dots, C_k, r_{1,k_1}, r_{1,1}, r_{1,2}, \dots, r_{1, k_1-1}, C_2, \dots, C_{i-1}, r_{i,1}, r_{i,2}, \dots, r_{i,j-1})$. The fact that the paths constructed by this rule are disjoint from each other can be proven by a method similar to that in paragraph (1) above. Because the correction order of the element $r_{i,j-1}$ precedes that of $r_{i,j}$ in the paths constructed in paragraph (1) but not in (2), the two sets of paths under (1) and (2) must be disjoint.

(3) For each $r_{i,j} \neq r_{i,1}$ ($i = 1$, $k_1 \geq 3$, $2 \leq j \leq k_1$), $\pi(r_{1,j})$ with $3 \leq j \leq k_1 - 1$ is constructed along which m misplaced symbols are corrected according the order $(r_{1,j}, r_{1,j+1}, \dots, r_{1,k_1}, C_2, \dots, C_k, r_{1,1}, r_{1,2}, \dots, r_{1,j-1})$. Similarly, $\pi(r_{1,k_1})$ with $k_1 \geq 3$ is constructed along which m misplaced symbols are corrected according the order $(r_{1,k_1}, C_2, \dots, C_k, r_{1,2}, \dots, r_{1, k_1-1}, r_{1,1})$. Arguments similar to those under paragraphs (1) and (2) establish that the paths constructed in (3) are disjoint from each other and from those constructed earlier.

(4) The paths $\pi(e_j)$ are obtained by first diverting one fixed symbol e_j , other than 3, by moving it from its correct position to the third position, then along the correction order sequence $(C_1,$

C_2, \dots, C_k). Finally, the diverted symbol e_j is returned to its desired position. Such a path $\pi(e_j)$ is node-disjoint from any path $\pi(r_{i,j})$ constructed in paragraphs (1)-(3), because the symbol e_j is misplaced all along $\pi(e_j)$, while e_j is in its desired position in $\pi(r_{i,j})$. On the other hand, the two paths obtained by diverting e_i and e_j ($e_i \neq e_j$), respectively, are node-disjoint because e_j is misplaced all along the path $\pi(e_i)$ but fixed all along the path $\pi(e_j)$, while e_j is misplaced along the path $\pi(e_j)$ but fixed in the path $\pi(e_i)$. ■

Lemma 2 [19]: If G is a regular graph with connectivity $\kappa \geq 2$, then $d_\kappa(G) \geq D(G) + 1$, where $D(G)$ is the diameter of G . ■

Theorem 3: The wide diameter $d_{n-1}(AN_n)$ of AN_n is bounded as $D(AN_n) + 1 \leq d_{n-1}(AN_n) \leq D(AN_n) + 2$, which means that it is within one unit of the smallest possible.

Proof: By Lemma 2, we only need to show that $d_{n-1}(AN_n) \leq D(AN_n) + 2$. For convenience, we use $d_{n-1}(p, e)$ to denote the length of the longest of the $n - 1$ paths constructed in the proof of Theorem 1. We limit our proof to a single case, A1, where $d_{n-1}(p, e) = m + k + 2 = n - l + k + 2$, with $l \geq 3$. Other cases can be dealt with similarly. Note that $\lceil 3(n - 2)/2 \rceil$ equals the diameter $D(AN_n)$ of AN_n .

(1) If $n - l = 0 \pmod 4$, that is, $(n - l)/2$ is an even integer, then $k \leq (n - l)/2$ and $d_{n-1}(p, e) = n - l + k + 2 \leq 3(n - l)/2 + 2 \leq 3(n - 3)/2 + 2 = 3(n - 2)/2 + 1/2 \leq \lceil 3(n - 2)/2 \rceil + 1/2$.

(2) If $n - l = 2 \pmod 4$, that is, $(n - l)/2$ is an odd integer, then $k \leq (n - l)/2 - 1$ and $d_{n-1}(p, e) = n - l + k + 2 \leq 3(n - l)/2 + 1 \leq 3(n - 3)/2 + 1 = 3(n - 2)/2 - 1/2 \leq \lceil 3(n - 2)/2 \rceil - 1/2$.

(3) If $n - l = 1 \pmod 4$, that is, $(n - l - 1)/2$ is an even integer, then $k \leq (n - l - 1)/2$ and $d_{n-1}(p, e) = n - l + k + 2 \leq 3(n - l)/2 + 1/2 \leq 3(n - 3)/2 + 1/2 = 3(n - 2)/2 - 1 \leq \lceil 3(n - 2)/2 \rceil - 1$.

(4) If $n - l = 3 \pmod 4$, that is, $(n - l - 1)/2$ is an odd integer, then $k \leq (n - l - 1)/2$ and $d_{n-1}(p, e) = n - l + k + 2 \leq 3(n - l)/2 + 3/2 \leq 3(n - 3)/2 + 3/2 = 3(n - 2)/2 \leq \lceil 3(n - 2)/2 \rceil$.

The results of paragraphs (1)-(4) above imply that $d_{n-1}(p, e) \leq D(AN_n) + 2$. ■

4. Conclusion

The node-to-node internally disjoint paths problem is to find k paths between two arbitrary nodes u and v in a k -connected graph such that these paths do not share any nodes other than their two endpoints. The existence of such paths is an indication of the robustness of an interconnection network, in the sense of it being maximally fault-tolerant, given that (by definition) a k -connected graph must contain some pairs of nodes that are not connected by more than k parallel paths. Once such paths are obtained, they enable fault-tolerant routing by using alternate paths when a particular path is unavailable. Similarly, high-throughput routing becomes possible by using parallel paths to send multiple pieces of long messages at once.

Alternating group networks are not the only networks to be maximally fault-tolerant in the sense defined above. However, in general, some of the k parallel paths between nodes u and v may be significantly longer than the minimum distance $d(u, v)$. If in a particular network, the k parallel paths can be constructed so that their length is bounded by $d(u, v) + \varepsilon$, for some small constant ε , then the network is not only highly robust, but also can maintain its high performance in the presence of multiple faulty nodes and links. We have shown AN_n to be such a network, and established that $\varepsilon \leq 4$. Of course, we are assuming that faults are readily detectable, so that message transmission over the associated paths can be avoided by means of suitably updating routing tables or other routing mechanisms. This is not an unreasonable assumption, given the use of error-detecting codes and other concurrent monitoring schemes.

A useful variation on the node-to-node internally disjoint paths problem is the node-to-set disjoint paths problem, defined as follows. Given a node u and k other nodes w_1, w_2, \dots, w_k , find k node-disjoint paths that connect node u to the nodes w_i , $1 \leq i \leq k$. Our ongoing research is centered on this problem. A solution to the node-to-set disjoint paths problem would be quite helpful in broadcasting or multicasting. A set of desired destination nodes can be reached by choosing k intermediate nodes, sending messages to those nodes via disjoint paths, and recursively spreading the message from the newly informed k sources.

References

- [1] S. B. Akers and B. Krishnamurthy, "A Group-Theoretic Model for Symmetric Interconnection Networks," *IEEE Trans. Computers*, Vol. 38, No. 4, pp. 555-566, 1989.
- [2] S. B. Akers, D. Harel, and B. Krishnamurthy, "The Star Graph, an Attractive Alternative to the n -Cube," *Proc. Int'l Conf. Parallel Processing*, 1987, pp. 393-400.
- [3] L. N. Bhuyan and D. P. Agrawal, "Generalized Hypercube and Hyperbus Structures for a Computer Network," *IEEE Trans. Computers*, Vol. 33, pp. 323-333, 1984.
- [4] B. Chen, W. J. Xiao, and B. Parhami, "Internode Distance and Optimal Routing in a Class of Alternating Group Networks," *IEEE Trans. Computers*, Vol. 12, No. 12, pp. 1645-1648, 2006.
- [5] K. Day and A. E. Al-Ayyoub, "Fault Diameter of k -ary n -Cube Networks," *IEEE Trans. Parallel and Distributed Systems*, Vol. 8, No. 9, pp. 903-907, 1997.
- [6] K. Day and A. Tripathi, "A Comparative Study of Topological Properties of Hypercubes and Star Graphs," *IEEE Trans. Parallel and Distributed Systems*, Vol. 5, No. 1, pp. 31-38, 1994.
- [7] D. Z. Du and D. F. Hsu, *Combinatorial Network Theory*, Kluwer Academic, 1996.
- [8] D. R. Duh, G. H. Chen, and D. F. Hsu, "Combinatorial Properties of Generalized Hypercube Graphs," *Information Processing Letters*, Vol. 57, pp. 141-145, 1996.
- [9] E. Flandrin and H. Li, "Mengerian Properties, Hamiltonicity, and Claw-Free Graphs," *Networks*, Vol. 4, pp. 177-183, 1994.
- [10] J. S. Fu, G. H. Chen, and D. R. Duh, "Vertex-Disjoint Paths and Related Problems on Hierarchical Networks," *Networks*, Vol. 40, No. 10, pp. 142-154, 2002.

- [11] Q. P. Gu and S. Peng, "Vertex to Set Disjoint Paths Problem in Star Graph," *Information Processing Letters*, Vol. 62, No. 4, pp. 201-207, 1997.
- [12] A. K. Gupta, and W. J. Dally, "Topology Optimization of Interconnection Networks," *IEEE Computer Architecture Letters*, Vol. 5, No. 1, pp. 10-13, January-June 2006.
- [13] H. Haddadi, G. Iannaccone, A. Moore, R. Mortier, and M. Rio, "A Survey on Network Topology: Inference, Modelling and Generation," *IEEE Communications Surveys*, Vol. 10, No. 2, second quarter 2008, pp. 48-69.
- [14] D. F. Hsu, "On Container Width and Length in Graphs, Groups, and Networks," *IEICE Trans. Fundamentals*, Vol. E77-A, pp. 668-680, 1994.
- [15] Y. Ishiyami, "The Wide-Diameter of the n -Dimensional Toroidal Mesh Networks," *Networks*, Vol. 27, pp. 257-266, 1996.
- [16] J. S. Jwo, S. Lakshmivarahan, and S. K. Dhall, "A New Class of Interconnection Networks Based on the Alternating Groups," *Networks*, Vol. 23, pp. 315-326, 1993.
- [17] S. Lakshmivarahan, J. S. Jwo, and S. K. Dhall, "Symmetry in Interconnection Networks Based on Cayley Graphs of Permutations – A survey", *Parallel Computing*, Vol. 19, pp. 361-407, 1993.
- [18] S. C. Liaw and G. J. Chang, "Generalized Diameters and Rabin Numbers of Networks," *J. Combinatorial Optimization*, Vol. 2, No. 4, pp. 371-384, 1998.
- [19] T.-C. Lin and D.-R. Duh, "Constructing Vertex-Disjoint Paths in (n, k) -Star Graphs," *Information Sciences*, Vol. 178, pp. 788-801, 2008.
- [20] K. J. Liszka, J. K. Antonio, and H. J. Siegel, "Problems with Comparing Interconnection Networks: Is an Alligator Better than an Armadillo?," *IEEE Concurrency*, Vol. 5, No. 4, pp. 18-28, October-December 1997.

- [21] E. K. Lua, J. Crowcroft, M. Pias, R. Sharma, and S. Lim, "A Survey and Comparison of Peer-to-Peer Overlay Network Schemes," *IEEE Communications Surveys*, Vol. 7, No. 2, second quarter 2005, pp. 72-93.
- [22] J. D. Owens, W. J. Dally, R. Ho, D. N. Jayasimha, S. W. Keckler, and L.-S. Peh, "Research Challenges for On-Chip Interconnection Networks," *IEEE Micro*, Vol. 27, No. 5, pp. 96-108, September/October 2007.
- [23] B. Parhami, *Introduction to Parallel Processing: Algorithms and Architectures*, Plenum Press, 1999.
- [24] Y. Suzuki and K. Kaneko, "An Algorithm for Disjoint Paths in Bubble-Sort Graphs," *Systems and Computers in Japan*, Vol. 37, No. 12, pp. 27-32, 2006.
- [25] J. Xu, *Topological Structure and Analysis of Interconnection Networks*, Kluwer Academic, 2001.
- [26] J. Xu, "Wide Diameters of Cartesian Product Graphs and Digraphs," *J. Combinatorial Optimization*, Vol. 8, pp. 171-181, 2004.
- [27] J. Youhu, "A Class of Cayley Networks Based on the Alternating Groups," *Advances in Mathematics* (Chinese), Vol. 4, pp. 361-362, 1998.

Appendix A: Proof of Theorem 1 for $p_3 = 3$

Please refer to Section 3 of the paper, Table 1 in particular, for outline and structure of the proof.

A1. The case of $p_1 = 1$ and $p_2 = 2$

(1) For each $r_{i,j}$ ($1 \leq i \leq k$, $1 \leq j \leq k_i$) in the cycle representation of p , a path $\pi(r_{i,j})$ of minimum length $m + k$ is constructed from p to e along which m misplaced symbols are corrected in order of the sequence $(r_{i,j}, r_{i,j+1}, \dots, r_{i,k_i}, C_{i+1}, \dots, C_k, C_1, C_2, \dots, C_{i-1}, r_{i,1}, r_{i,2}, \dots, r_{i,j-1})$. Since the m misplaced elements each can be seen as the first element of the correction sequence by a suitable number of left circular shifts, we have m vertex-disjoint paths, each of length $m + k$. For example, given $p = 12367458 = (46)(57)(1)(2)(3)(8)$ in AN_8 , we construct these optimal parallel paths:

$$\pi_1 = 12367458 \rightarrow 21467358 \rightarrow 12647358 \rightarrow 21347658 \rightarrow 12547638 \rightarrow 21745638 \rightarrow e$$

$$\pi_2 = 12367458 \rightarrow 21637458 \rightarrow 12437658 \rightarrow 21537648 \rightarrow 12735648 \rightarrow 21435678 \rightarrow e$$

$$\pi_3 = 12367458 \rightarrow 21567438 \rightarrow 12765438 \rightarrow 21365478 \rightarrow 12465378 \rightarrow 21645378 \rightarrow e$$

$$\pi_4 = 12367458 \rightarrow 21763458 \rightarrow 12563478 \rightarrow 21463578 \rightarrow 12643578 \rightarrow 21543678 \rightarrow e$$

(2) An e_j -path is generated by first moving one fixed e_j to position 3, and then keeping e_j away from its desired position until the other symbols have been corrected in order of the sequence (C_1, C_2, \dots, C_k) . The j th e_j -path in this set, $\pi(e_j)$, is of length $m + k + 2$ and is constructed in order of the correction sequence $(e_j, C_1, C_2, \dots, C_k, e_j)$.

$$\pi_5 = 12367458 \rightarrow 23167458 \rightarrow 32467158 \rightarrow 23647158 \rightarrow 32147658 \rightarrow 23547618 \rightarrow 32745618 \rightarrow 23145678 \rightarrow e$$

$$\pi_6 = 12367458 \rightarrow 31267458 \rightarrow 13467258 \rightarrow 31647258 \rightarrow 13247658 \rightarrow 31547628 \rightarrow 13745628 \rightarrow 31245678 \rightarrow e$$

$$\pi_7 = 12367458 \rightarrow 21867453 \rightarrow 12467853 \rightarrow 21647853 \rightarrow 12847653 \rightarrow 21547683 \rightarrow 12745683 \rightarrow 21845673 \rightarrow e$$

A2. The case of $p_1 = 2$ and $p_2 = 1$

Since the elements of (12) are placed at their desired positions only at the end of the correction process, that is to say, (12) automatically gets sorted when all the non-fixed symbols have been sorted, we may always set $C_k = (12)$.

(1) For each $r_{i,j}$ ($1 \leq i \leq k$, $1 \leq j \leq k_i$) in the cycle representation of p , a path $\pi(r_{i,j})$ of minimum length $m + k - 3$ is constructed from p to e along which $m - 2$ misplaced symbols, excluding the elements of $C_k = (12)$, are corrected in order of the sequence $(r_{i,j}, r_{i,j+1}, \dots, r_{i,k_i}, C_{i+1}, \dots, C_{k-1}, C_1, C_2, \dots, C_{i-1}, r_{i,1}, r_{i,2}, \dots, r_{i,j-1})$. Since the $m - 2$ misplaced elements each can be seen as the first element of the correction sequence by a suitable number of left circular shifts, we have $m - 2$ disjoint paths each of length $m - 2 + k - 1 = m + k - 3$. For example, given $p = 213749586 = (475)(69)(21)(3)(8)$ in AN_9 , we construct these parallel paths:

$$\begin{aligned}\pi_1 &= 213749586 \rightarrow 124739586 \rightarrow 217439586 \rightarrow 125439786 \rightarrow 213459786 \rightarrow 126459783 \rightarrow 219456783 \rightarrow e \\ \pi_2 &= 213749586 \rightarrow 127349586 \rightarrow 215349786 \rightarrow 124359786 \rightarrow 216359784 \rightarrow 129356784 \rightarrow 214356789 \rightarrow e \\ \pi_3 &= 213749586 \rightarrow 125749386 \rightarrow 214759386 \rightarrow 126759384 \rightarrow 219756384 \rightarrow 124756389 \rightarrow 217456389 \rightarrow e \\ \pi_4 &= 213749586 \rightarrow 126749583 \rightarrow 219746583 \rightarrow 123746589 \rightarrow 214736589 \rightarrow 127436589 \rightarrow 215436789 \rightarrow e \\ \pi_5 &= 213749586 \rightarrow 129743586 \rightarrow 216743589 \rightarrow 124763589 \rightarrow 217463589 \rightarrow 125463789 \rightarrow 216453789 \rightarrow e\end{aligned}$$

(2) An e_j -path is generated by first moving one fixed symbol e_j to position 3, and then keeping e_j away from its desired position until the other symbols have been corrected according to order of the sequence $(C_1, C_2, \dots, C_{k-1})$. The j th e_j -path in this set, $\pi(e_j)$, is of length $m - 2 + k - 1 + 2 = m + k - 1$ and is constructed according to order of the correction sequence $(e_j, C_1, C_2, \dots, C_{k-1}, e_j)$, where e_j can be an element of $C_k = (12)$.

$$\begin{aligned}\pi_6 &= 213749586 \rightarrow 321749586 \rightarrow 234719586 \rightarrow 327419586 \rightarrow 235419786 \rightarrow 321459786 \rightarrow 236459781 \rightarrow 329456781 \rightarrow 231456789 \rightarrow e \\ \pi_7 &= 213749586 \rightarrow 132749586 \rightarrow 314729586 \rightarrow 137429586 \rightarrow 315429786 \rightarrow 132459786 \rightarrow 316459782 \rightarrow 139456782 \rightarrow 312456789 \rightarrow e \\ \pi_8 &= 213749586 \rightarrow 128749536 \rightarrow 214789536 \rightarrow 127489536 \rightarrow 215489736 \rightarrow 128459736 \rightarrow 216459738 \rightarrow 129456738 \rightarrow 218456739 \rightarrow e\end{aligned}$$

A3. The case of $\{p_1, p_2\} \cap \{1, 2\} = \{r\}$, with $p_1 = 1$ or $p_2 = 2$

The construction in this case is similar to that of Section A1.

A4. The case of $\{p_1, p_2\} \cap \{1, 2\} = \{r\}$, with 1 and 2 in the same cycle C_i

(1) For each $r_{i,j}$ ($1 \leq i \leq k$, $1 \leq j \leq k_i$) in the cycle representation of p , a path $\pi(r_{i,j})$ of minimum length $m + k - 1$ is constructed from p to e along which m misplaced symbols are corrected in

order of the sequence $(r_{i,j}, r_{i,j+1}, \dots, r_{i,k_j}, C_{i+1}, \dots, C_k, C_1, C_2, \dots, C_{i-1}, r_{i,1}, r_{i,2}, \dots, r_{i,j-1})$. Since m misplaced elements each can be seen as the first element of the correction sequence by a suitable number of left circular shifts, we have m disjoint paths each of length $m + k - 1$. For example, given $p = 27356418 = (712)(456)(3)(8)$ in AN_8 , we construct these parallel paths:

$$\pi_1 = 27356418 \rightarrow 32756418 \rightarrow 23156478 \rightarrow 12356478 \rightarrow 21456378 \rightarrow 12546378 \rightarrow 21645378 \rightarrow e$$

$$\pi_2 = 27356418 \rightarrow 72156438 \rightarrow 21756438 \rightarrow 12456738 \rightarrow 21546738 \rightarrow 12645738 \rightarrow 21745638 \rightarrow e$$

$$\pi_3 = 27356418 \rightarrow 72456318 \rightarrow 27546318 \rightarrow 72645318 \rightarrow 27345618 \rightarrow 32745618 \rightarrow 23145678 \rightarrow e$$

$$\pi_4 = 27356418 \rightarrow 72536418 \rightarrow 27635418 \rightarrow 72435618 \rightarrow 24735618 \rightarrow 42135678 \rightarrow 21435678 \rightarrow e$$

$$\pi_5 = 27356418 \rightarrow 72636418 \rightarrow 27453618 \rightarrow 42753618 \rightarrow 24153678 \rightarrow 12453678 \rightarrow 21543678 \rightarrow e$$

(2) An e_j -path is generated by first moving one fixed symbol e_j (where $e_j = 2$ is possible) to position 3, and then keeping e_j away from its desired position until the other symbols have been corrected. The j th e_j -path in this set, $\pi(e_j)$, is of length $m + k + 1$ and is constructed in the order of the correction sequence $(e_j, C_1, C_2, \dots, C_{k-1}, e_j)$.

$$\pi_6 = 27356418 \rightarrow 73256418 \rightarrow 37156428 \rightarrow 13756428 \rightarrow 31456728 \rightarrow 13546728 \rightarrow 31645728 \rightarrow 13745628 \rightarrow 31245678 \rightarrow e$$

$$\pi_6 = 27356418 \rightarrow 72856413 \rightarrow 27156483 \rightarrow 12756483 \rightarrow 21456783 \rightarrow 12546783 \rightarrow 21645783 \rightarrow 12745683 \rightarrow 21845673 \rightarrow e$$

A5. The case of $\{p_1, p_2\} \cap \{1, 2\} = \{r\}$, with 1 and 2 in different cycles

The construction in this case is similar to that of Section A4.

A6. The case of $\{p_1, p_2\} \cap \{1, 2\} = \Phi$, with 1 and 2 in the same cycle C_i

The construction in this case is similar to that of Section A1.

This concludes the first part of the proof of Theorem 1, corresponding to the condition $p_3 = 3$.

The second part of the proof, for $p_3 \neq 3$, is presented in Appendix B.

Appendix B: Proof of Theorem 1 for $p_3 \neq 3$

Please refer to Section 3 of the paper, Table 1 in particular, for outline and structure of the proof.

B1. The case of $p_1 = 1$ and $p_2 = 2$

(1) For each head in the cycle representation of p , that is, $r_{i,1}$ ($1 \leq i \leq k$), a path $\pi(r_{i,1})$ is constructed from p to e along which m misplaced symbols are corrected in order of the sequence $(C_i, C_{i+1}, \dots, C_k, C_1, C_2, \dots, C_{i-1})$, where this order is obtained by performing on (C_1, C_2, \dots, C_k) a number of left circular shifts which make the head of the cycle C_i become the first element of the correction sequence. So, we have k paths of minimum length $m + k - 2$. For example, given $p = 125463978 = (563)(798)(1)(2)(4)$ in AN_9 , we construct two optimal parallel paths as follows:

$$\pi_1 = 125463978 \rightarrow 216453978 \rightarrow 123456978 \rightarrow 217456938 \rightarrow 129456738 \rightarrow 218456739 \rightarrow e$$

$$\pi_2 = 125463978 \rightarrow 217463958 \rightarrow 129463758 \rightarrow 218463759 \rightarrow 125463789 \rightarrow 216453789 \rightarrow e$$

(2) For each $r_{i,j} \neq r_{i,1}$ ($2 \leq i \leq k$, $2 \leq j \leq k_i$) in the cycle representation of p , a path $\pi(r_{i,j})$ is built from p to e along which m misplaced symbols are corrected in order of the sequence $(r_{i,j}, r_{i,j+1}, \dots, r_{i,k_i}, C_{i+1}, \dots, C_k, r_{1,k_1}, r_{1,1}, r_{1,2}, \dots, r_{1,k_1-1}, C_2, \dots, C_{i-1}, r_{i,1}, r_{i,2}, \dots, r_{i,j-1})$. So we have $m - (k - 1) - |C_1|$ paths, each of length $m + k$. Continuing with our example, we have:

$$\pi_3 = 125463978 \rightarrow 219463578 \rightarrow 128463579 \rightarrow 217463589 \rightarrow 123467589 \rightarrow 215467389 \rightarrow 126457389 \rightarrow 217456389 \rightarrow e$$

$$\pi_4 = 125463978 \rightarrow 218463975 \rightarrow 127463985 \rightarrow 213467985 \rightarrow 125467983 \rightarrow 216457983 \rightarrow 127456983 \rightarrow 219456783 \rightarrow e$$

(3) For each $r_{i,j} \neq r_{i,1}$ ($i = 1$, $1 \leq j \leq k_1$) in the cycle representation of p , a path $\pi(r_{i,j})$ is constructed as follows; note that the path $\pi(r_{1,1})$ is the same as the path $\pi(r_{1,2})$:

Each path $\pi(r_{1,j})$, with $k_1 \geq 3$, is constructed along which m misplaced symbols are corrected in order of the sequence $(r_{1,j}, r_{1,j+1}, \dots, r_{1,k_1}, C_2, \dots, C_k, r_{1,1}, r_{1,2}, \dots, r_{1,j-1})$.

Each path $\pi(r_{1,k_1})$ is constructed along which m misplaced symbols are corrected according to the order of the sequence $(r_{1,k_1}, C_2, \dots, C_k, r_{1,2}, \dots, r_{1,k_1-1}, r_{1,1})$.

So we have $|C_1| - 2$ paths, each of length $m + k$. Continuing with our example, we get:

$\pi_5 = 125463978 \rightarrow 213465978 \rightarrow 127465938 \rightarrow 219465738 \rightarrow 128465739 \rightarrow 213465789 \rightarrow 12645789 \rightarrow 215436789 \rightarrow e$

(4) An e_j -path is generated by first moving a fixed element e_j to position 3, and then keeping e_j away from its desired position until the other symbols have been corrected. The j th e_j -path, $\pi(e_j)$, is constructed in order of the correction sequence $(e_j, C_2, \dots, C_k, r_{1,k_1}, r_{1,1}, r_{1,2}, \dots, r_{i, k_1-1}, e_j)$. This process yields $n - m$ paths, each of length $m + k + 2$. For our example, the paths are:

$\pi_6 = 125463978 \rightarrow 251463978 \rightarrow 527463918 \rightarrow 259463718 \rightarrow 528463719 \rightarrow 251463789 \rightarrow 523461789 \rightarrow 235461789 \rightarrow 326451789 \rightarrow 231456789 \rightarrow e$

$\pi_7 = 125463978 \rightarrow 512463978 \rightarrow 157463928 \rightarrow 519463728 \rightarrow 158463729 \rightarrow 512463789 \rightarrow 153462789 \rightarrow 315462789 \rightarrow 136452789 \rightarrow 312456789 \rightarrow e$

$\pi_8 = 125463978 \rightarrow 214563978 \rightarrow 127563948 \rightarrow 219563748 \rightarrow 128563749 \rightarrow 214563789 \rightarrow 123564789 \rightarrow 215364789 \rightarrow 126354789 \rightarrow 214356789 \rightarrow e$

B2. The case of $p_1 = 2$ and $p_2 = 1$

(1) For each head in the cycle representation of p , that is, $r_{i,1}$ ($1 \leq i \leq k - 1$), a path $\pi(r_{i,1})$ is constructed from p to e along which $m - 2$ misplaced symbols, excluding elements of $C_k = (12)$, are corrected in order of the sequence $(C_i, C_{i+1}, \dots, C_{k-1}, C_1, C_2, \dots, C_{i-1})$, where the order is obtained by performing on $(C_1, C_2, \dots, C_{k-1})$ a number of left circular shifts which make the head of the cycle C_i become the first element of the correction sequence. This process yields $k - 1$ paths of optimal length $m - 2 - (k - 1) - 2 = m + k - 5$. For example, given $p = 21583476 = (53)(486)(12)(7)$ in AN_8 , we construct the following $k - 1$ parallel paths:

$\pi_1 = 21583476 \rightarrow 12385476 \rightarrow 21485376 \rightarrow 12845376 \rightarrow 21645378 \rightarrow e$

$\pi_2 = 21583476 \rightarrow 12483576 \rightarrow 21843576 \rightarrow 12643578 \rightarrow 21543678 \rightarrow e$

(2) For each $r_{i,j} \neq r_{i,1}$ ($2 \leq i \leq k, 2 \leq j \leq k_1$) in the cycle representation of p , a path $\pi(r_{i,j})$ is constructed from p to e along which the m misplaced symbols are corrected in order of the sequence $(r_{i,j}, r_{i,j+1}, \dots, r_{i,k_1}, C_{i+1}, \dots, C_k, r_{1,k_1}, r_{1,1}, r_{1,2}, \dots, r_{1,k_1-1}, C_2, \dots, C_{i-1}, r_{i,1}, r_{i,2}, \dots, r_{i,j-1})$. The process results in $m - (k - 1) - |C_1|$ paths, each with length $m + k - 3$.

$\pi_3 = 21583476 \rightarrow 12853476 \rightarrow 21653478 \rightarrow 12453678 \rightarrow 21354678 \rightarrow 12534678 \rightarrow 21435678 \rightarrow e$;

$\pi_4 = 21583476 \rightarrow 12683475 \rightarrow 21386475 \rightarrow 12586473 \rightarrow 21685473 \rightarrow 12485673 \rightarrow 21845673 \rightarrow e$.

(3) For each $r_{i,j} \neq r_{i,1}$ ($i = 1, 3 \leq j \leq k_1, k_1 \geq 3$) in the cycle representation of p , a path $\pi(r_{i,j})$ is

constructed as follows:

Each path $\pi(r_{1,j})$, with $3 \leq j \leq k_1 - 1$, is constructed along which m misplaced symbols are corrected in order of the sequence $(r_{1,j}, r_{1,j+1}, \dots, r_{1,k_1}, C_2, \dots, C_k, r_{1,1}, r_{1,2}, \dots, r_{1,j-1})$.

Each path $\pi(r_{1,k_1})$, with $k_1 \geq 3$, is constructed along which m misplaced symbols are corrected in order of the sequence $(r_{1,k_1}, C_2, \dots, C_k, r_{1,2}, \dots, r_{1,k_1-1}, r_{1,1})$.

The processes outlined above yield $|C_1| - 2$ paths, each of length $m + k - 3$. Continuing with our example, since we have $k_1 = 2$, no path belonging this class exists.

(4) An e_j -path is generated by first moving a fixed element e_j to position 3, and then keeping e_j away from its desired position until the other symbols have been corrected. Each such e_j -path, $\pi(e_j)$, is built in order of the correction sequence of $(e_j, C_2, \dots, C_k, r_{1,k_1}, r_{1,1}, r_{1,2}, \dots, r_{1,k_1-1}, e_j)$. The process outlined yields $n - (m - 2) - 1 = n - m + 1$ paths, each of length $m + k - 1$.

$$\pi_5 = 21583476 \rightarrow 52183476 \rightarrow 25483176 \rightarrow 52843176 \rightarrow 25643178 \rightarrow 52143678 \rightarrow 25341678 \rightarrow 32541678 \rightarrow 23145678 \rightarrow e$$

$$\pi_6 = 21583476 \rightarrow 15283476 \rightarrow 51483276 \rightarrow 15843276 \rightarrow 51643278 \rightarrow 15243678 \rightarrow 51342678 \rightarrow 13542678 \rightarrow 31245678 \rightarrow e$$

$$\pi_7 = 21583476 \rightarrow 12783456 \rightarrow 21483756 \rightarrow 12843756 \rightarrow 21643758 \rightarrow 12743658 \rightarrow 21347658 \rightarrow 12547638 \rightarrow 21745638 \rightarrow e$$

B3. The case of $\{p_1, p_2\} \cap \{1, 2\} = \{r\}$, with $p_1 = 1$ or $p_2 = 2$

Each of the two subcases B3a and B3b of this case, corresponding to 3 and r being in the same cycle or in different cycles, can be handled in a manner similar to that of Section B1.

B4. The case of $\{p_1, p_2\} \cap \{1, 2\} = \{r\}$, with 1, 2 in the same cycle C_i

Since 1 and 2 have the same function, we discuss the construction in terms of $r \in \{1, 2\}$.

B4a. The subcase of 1, 2, 3 in the same cycle C_i

(1) For each head in the cycle representation of p , that is, $r_{i,1}$ ($1 \leq j \leq k$), a path $\pi(r_{i,1})$ is constructed from p to e along which m misplaced symbols are corrected in order of the sequence $(C_i, C_{i+1}, \dots, C_k, C_1, C_2, \dots, C_{i-1})$, where the ordering is obtained by performing on (C_1, C_2, \dots, C_k) a number of left circular shifts which make the head of the cycle C_i become the first

element of the correction sequence. This process yields k optimal paths of length $m + k - 3$. For example, given $p = 31247856 = (213)(57)(68)(4)$ in AN_8 , we construct these parallel paths:

$$\pi_1 = 31247856 \rightarrow 12347856 \rightarrow 21\underline{5}47836 \rightarrow 12\underline{7}45836 \rightarrow 21345876 \rightarrow 12\underline{6}45873 \rightarrow 21\underline{8}45673 \rightarrow e$$

$$\pi_2 = 31247856 \rightarrow 13\underline{5}47826 \rightarrow 31\underline{7}45826 \rightarrow 13245876 \rightarrow 31\underline{6}45872 \rightarrow 13\underline{8}45672 \rightarrow 31245678 \rightarrow e$$

$$\pi_3 = 31247856 \rightarrow 13\underline{6}47852 \rightarrow 31\underline{8}47652 \rightarrow 13247658 \rightarrow 21347658 \rightarrow 12\underline{5}47638 \rightarrow 21\underline{7}45638 \rightarrow e$$

(2) For each $r_{i,j} \neq r_{i,1}$ ($2 \leq i \leq k$, $2 \leq j \leq k_i$) in the cycle representation of p , a path $\pi(r_{i,j})$ is constructed from p to e along which the m misplaced symbols are corrected in order of the sequence $(r_{i,j}, r_{i,j+1}, \dots, r_{i,k_i}, C_{i+1}, \dots, C_k, r_{1,k_1}, r_{1,1}, r_{1,2}, \dots, r_{1,k_1-1}, C_2, \dots, C_{i-1}, r_{i,1}, r_{i,2}, \dots, r_{i,j-1})$. From this process, we have $m - (k - 1) - |C_1|$ paths, each of length $m + k$. For our example:

$$\pi_4 = 31247856 \rightarrow 13\underline{7}42856 \rightarrow 31542876 \rightarrow 13\underline{6}42875 \rightarrow 31\underline{8}42675 \rightarrow 13542678 \rightarrow 51\underline{3}42678 \rightarrow 15\underline{2}43678 \rightarrow 21\underline{5}43678 \rightarrow e$$

$$\pi_5 = 31247856 \rightarrow 13\underline{8}47256 \rightarrow 31647258 \rightarrow 16\underline{3}47258 \rightarrow 61\underline{2}47358 \rightarrow 12647358 \rightarrow 21\underline{5}47368 \rightarrow 12\underline{7}45368 \rightarrow 21\underline{6}45378 \rightarrow e$$

(3) For each $r_{i,j} \neq r_{i,1}$ ($i = 1$, $3 \leq j \leq k_1$, $k_1 \geq 3$) in the cycle representation of p , a path $\pi(r_{i,j})$ is constructed as follows; note that the path $\pi(r_{1,1})$ is the same as the path $\pi(r_{1,2})$:

Each path $\pi(r_{1,j})$, with $3 \leq j \leq k_1 - 1$, is constructed along which m misplaced symbols are corrected in order of the sequence $(r_{1,j}, r_{1,j+1}, \dots, r_{1,k_1}, C_2, \dots, C_k, r_{1,1}, r_{1,2}, \dots, r_{1,j-1})$.

Each path $\pi(r_{1,k_1})$, with $k_1 \geq 3$, is constructed along which m misplaced symbols are corrected in order of the sequence $(r_{1,k_1}, C_2, \dots, C_k, r_{1,2}, \dots, r_{1,k_1-1}, r_{1,1})$.

The process above yields $|C_1| - 2$ paths, each of length $m + k - 1$. For our example, we have:

$$\pi_6 = 31247856 \rightarrow 23\underline{1}47856 \rightarrow 32\underline{5}47816 \rightarrow 23\underline{7}45816 \rightarrow 32145876 \rightarrow 23\underline{6}45871 \rightarrow 32\underline{8}45671 \rightarrow 23\underline{1}45678 \rightarrow e$$

(4) An e_j -path is generated by first moving a fixed element e_j to position 3, and then keeping e_j away from its desired position until the other symbols have been corrected. Such an e_j -path, $\pi(e_j)$, is constructed in order of the correction sequence $(e_j, C_2, \dots, C_k, r_{1,k_1}, r_{1,1}, r_{1,2}, \dots, r_{1,k_1-1}, e_j)$. From this process, we obtain $n - m$ paths, each of length $m + k + 1$. For our example, we get:

$$\pi_7 = 31247856 \rightarrow 13427856 \rightarrow 31\underline{5}27846 \rightarrow 13725846 \rightarrow 31425876 \rightarrow 13625874 \rightarrow 31\underline{8}25674 \rightarrow 13425678 \rightarrow 41325678 \rightarrow 14235678 \rightarrow 21435678 \rightarrow e$$

B4b. The subcase of 3 not in the cycle C_i that contains 1, 2

(1) For each head in the cycle representation of p , that is, $r_{i,1}$ ($1 \leq i \leq k$), a path $\pi(r_{i,1})$ is constructed from p to e along which m misplaced symbols are corrected in order of the sequence $(C_i, C_{i+1}, \dots, C_k, C_1, C_2, \dots, C_{i-1})$, where the ordering is obtained by performing on (C_1, C_2, \dots, C_k) a number of left circular shifts which make the head of the cycle C_i become the first element of the correction sequence. From this process, we obtain k optimal paths of length $m + k - 3$. For example, given $p = 25841763 = (83)(512)(67)(4)$ in AN_8 , we construct these parallel paths:

$$\pi_1 = 25841763 \rightarrow 52341768 \rightarrow 23541768 \rightarrow 32145768 \rightarrow 21345768 \rightarrow 12645738 \rightarrow 21745638 \rightarrow e$$

$$\pi_2 = 25841763 \rightarrow 82541763 \rightarrow 28145763 \rightarrow 82645713 \rightarrow 28745613 \rightarrow 82145673 \rightarrow 21845673 \rightarrow e$$

$$\pi_3 = 25841763 \rightarrow 52641783 \rightarrow 25741683 \rightarrow 52841673 \rightarrow 25341678 \rightarrow 32541678 \rightarrow 23145678 \rightarrow e$$

(2) For each $r_{i,j} \neq r_{i,1}$ ($2 \leq i \leq k$, $2 \leq j \leq k_i$) in the cycle representation of p , a path $\pi(r_{i,j})$ is constructed from p to e along which m misplaced symbols are corrected in order of the sequence $(r_{i,j}, r_{i,j+1}, \dots, r_{i,k_i}, C_{i+1}, \dots, C_k, r_{1,k_1}, r_{1,1}, r_{1,2}, \dots, r_{1,k_1-1}, C_2, \dots, C_{i-1}, r_{i,1}, r_{i,2}, \dots, r_{i,j-1})$. We thus obtain $m - (k - 1) - |C_1|$ paths, each of length $m + k - 1$. For our example, we have:

$$\pi_4 = 25841763 \rightarrow 52741863 \rightarrow 25641873 \rightarrow 52341876 \rightarrow 25841376 \rightarrow 52641378 \rightarrow 26541378 \rightarrow 62145378 \rightarrow 21645378 \rightarrow e$$

$$\pi_5 = 25841763 \rightarrow 52148763 \rightarrow 25648713 \rightarrow 52748613 \rightarrow 25148673 \rightarrow 52348671 \rightarrow 25843671 \rightarrow 52143678 \rightarrow 21543678 \rightarrow e$$

(3) For each $r_{i,j} \neq r_{i,1}$ ($i = 1$, $3 \leq j \leq k_1$, $k_1 \geq 3$) in the cycle representation of p , a path $\pi(r_{i,j})$ is constructed as follows:

Each path $\pi(r_{1,j})$, with $3 \leq j \leq k_1 - 1$, is constructed along which m misplaced symbols are corrected in order of the sequence $(r_{1,j}, r_{1,j+1}, \dots, r_{1,k_1}, C_2, \dots, C_k, r_{1,1}, r_{1,2}, \dots, r_{1,j-1})$.

Each path $\pi(r_{1,k_1})$, with $k_1 \geq 3$, is constructed along which m misplaced symbols are corrected in order of the sequence $(r_{1,k_1}, C_2, \dots, C_k, r_{1,2}, \dots, r_{1,k_1-1}, r_{1,1})$.

From the above, we obtain $|C_1| - 2$ paths, each of length $m + k - 1$. Since $k_1 = 2$ in our example, there exists no path in this class.

(4) An e_j -path is generated by first moving a fixed element e_j to position 3, and then keeping e_j

away from its desired position until the other symbols have been corrected. Such an e_j -path, $\pi(e_j)$, is constructed in the order of the correction sequence $(e_j, C_2, \dots, C_k, r_{1,k_1}, r_{1,1}, r_{1,2}, \dots, r_{1,k_1-1}, e_j)$. As a result, we have $n - m - 1$ paths, each of length $m + k + 2$. For our example, the paths are:

$$\pi_6 = 25841763 \rightarrow 58\underline{2}41763 \rightarrow 85\underline{6}41723 \rightarrow 58\underline{7}41623 \rightarrow 85241673 \rightarrow 58341672 \rightarrow 35841672 \rightarrow 53241678 \rightarrow 35142678 \rightarrow 13542678 \rightarrow 31\underline{2}45678 \rightarrow e$$

$$\pi_7 = 25841763 \rightarrow 52\underline{4}81763 \rightarrow 25\underline{6}81743 \rightarrow 52\underline{7}81643 \rightarrow 25481673 \rightarrow 52381674 \rightarrow 25831674 \rightarrow 52431678 \rightarrow 24\underline{5}31678 \rightarrow 42135678 \rightarrow 21435678 \rightarrow e$$

B5. The case of $\{p_1, p_2\} \cap \{1, 2\} = \{r\}$, with 1 and 2 in different cycles

Each of the two subcases B5a and B5b of this case, corresponding to 3 and r being in the same cycle or in different cycles, can be handled in a manner similar to that of Section B4.

B6. The case of $\{p_1, p_2\} \cap \{1, 2\} = \Phi$, with 1 and 2 in the same cycle C_i

B6a. The subcase of 1, 2, 3 in the same cycle C_i

(1) For each head in the cycle representation of p , that is, $r_{i,1}$ ($1 \leq i \leq k$), a path $\pi(r_{i,1})$ is constructed from p to e along which m misplaced symbols are corrected in order of the sequence $(C_i, C_{i+1}, \dots, C_k, C_1, C_2, \dots, C_{i-1})$, where the ordering sequence is obtained by performing on (C_1, C_2, \dots, C_k) a number of left circular shifts which make the head of the cycle C_i become the first element of the correction sequence. This process yields k optimal paths of length $m + k - 2$. For example, given $p = 3526147 = (2513)(46)(7)$ in AN_7 , we obtain:

$$\pi_1 = 3526147 \rightarrow 23\underline{5}6147 \rightarrow 3216547 \rightarrow 2136547 \rightarrow 124\underline{6}537 \rightarrow 2164537 \rightarrow e$$

$$\pi_2 = 3526147 \rightarrow 534\underline{6}127 \rightarrow 3564127 \rightarrow 5324167 \rightarrow 3254167 \rightarrow 2314567 \rightarrow e$$

(2) For each $r_{i,j} \neq r_{i,1}$ ($2 \leq i \leq k$, $2 \leq j \leq k_i$) in the cycle representation of p , a path $\pi(r_{i,j})$ is constructed from p to e along which the m misplaced symbols are corrected in order of the sequence $(r_{i,j}, r_{i,j+1}, \dots, r_{i,k_i}, C_{i+1}, \dots, C_k, r_{1,k_1}, r_{1,1}, r_{1,2}, \dots, r_{1,k_1-1}, C_2, \dots, C_{i-1}, r_{i,1}, r_{i,2}, \dots, r_{i,j-1})$. The results of this process are $m - (k - 1) - |C_1|$ paths, each of length $m + k$. For our example:

$$\pi_3 = 3526147 \rightarrow 53\underline{6}2147 \rightarrow 6532147 \rightarrow 5623147 \rightarrow 62\underline{5}3147 \rightarrow 26\underline{1}3547 \rightarrow 1263547 \rightarrow 2143567 \rightarrow e$$

(3) For each $r_{i,j} \neq r_{i,1}$ ($i = 1$, $3 \leq j \leq k_1$, $k_1 \geq 3$) in the cycle representation of p , a path $\pi(r_{i,j})$ is

constructed as follows:

Each path $\pi(r_{1,j})$, with $3 \leq j \leq k_1 - 1$, is constructed along which m misplaced symbols are corrected in order of the sequence $(r_{1,j}, r_{1,j+1}, \dots, r_{1,k_1}, C_2, \dots, C_k, r_{1,1}, r_{1,2}, \dots, r_{1,j-1})$.

Each path $\pi(r_{1,k_1})$, with $k_1 \geq 3$, is constructed along which m misplaced symbols are corrected in order of the sequence $(r_{1,k_1}, C_2, \dots, C_k, r_{1,2}, \dots, r_{1,k_1-1}, r_{1,1})$.

From this process, we have $|C_1| - 2$ paths, each of length $m + k$. For our example:

$$\pi_4 = 3526147 \rightarrow 5316247 \rightarrow 1536247 \rightarrow 5126347 \rightarrow 1546327 \rightarrow 5164327 \rightarrow 1524367 \rightarrow 2154367 \rightarrow e$$

$$\pi_5 = 3526147 \rightarrow 5236147 \rightarrow 2546137 \rightarrow 5264137 \rightarrow 2654137 \rightarrow 6214537 \rightarrow 1624537 \rightarrow 2164537 \rightarrow e$$

(4) An e_j -path is generated by first moving a fixed element e_j to position 3, and then keeping e_j away from its desired position until the other symbols have been corrected. Such an e_j -path, $\pi(e_j)$, is constructed in order of the correction sequence $(e_j, C_2, \dots, C_k, r_{1,k_1}, r_{1,1}, r_{1,2}, \dots, r_{1,k_1-1}, e_j)$. The results are $n - m$, paths each of length $m + k + 2$. For our example, we obtain:

$$\pi_6 = 3526147 \rightarrow 5376142 \rightarrow 3546172 \rightarrow 5364172 \rightarrow 3574172 \rightarrow 5734162 \rightarrow 7524162 \rightarrow 2754163 \rightarrow 7214563 \rightarrow 2174563 \rightarrow e$$

B6b. The subcase of 3 not in the cycle C_i that contains 1, 2

(1) For each head in the cycle representation of p , that is $r_{i,1}$ ($1 \leq i \leq k$), a path $\pi(r_{i,1})$ is constructed from p to e along which m misplaced symbols are corrected in order of the sequence $(C_i, C_{i+1}, \dots, C_k, C_1, C_2, \dots, C_{i-1})$, where the ordering sequence is obtained by performing on (C_1, C_2, \dots, C_k) a number of left circular shifts which make head of the cycle C_i become the first element of the correction sequence. As a result of this process, we obtain k optimal paths of length $m + k - 2$. For example, given $p = 4572163 = (73)(4251)(6)$ in AN_7 , we construct these parallel paths:

$$\pi_1 = 4572163 \rightarrow 5432167 \rightarrow 3542167 \rightarrow 5324167 \rightarrow 3254167 \rightarrow 2314567 \rightarrow e$$

$$\pi_2 = 4572163 \rightarrow 5742166 \rightarrow 7524163 \rightarrow 2754163 \rightarrow 7214563 \rightarrow 2174563 \rightarrow e$$

(2) For each $r_{i,j} \neq r_{i,1}$ ($2 \leq i \leq k$, $2 \leq j \leq k_i$) in the cycle representation of p , a path $\pi(r_{i,j})$ is

constructed from p to e along which the m misplaced symbols are corrected in order of the sequence $(r_{i,j}, r_{i,j+1}, \dots, r_{i,k_i}, C_{i+1}, \dots, C_k, r_{1,k_1}, r_{1,1}, r_{1,2}, \dots, r_{1,k_1-1}, C_2, \dots, C_{i-1}, r_{i,1}, r_{i,2}, \dots, r_{i,j-1})$.

This process yields $m - (k - 1) - |C_1|$ paths, each of length $m + k$. For our example, we have:

$$\pi_3 = 4572163 \rightarrow 5427163 \rightarrow 4257163 \rightarrow 2417563 \rightarrow 1247563 \rightarrow 2137564 \rightarrow 1273564 \rightarrow 2143567 \rightarrow e$$

$$\pi_4 = 4572163 \rightarrow 7452163 \rightarrow 4712563 \rightarrow 7142563 \rightarrow 1732564 \rightarrow 3172564 \rightarrow 1342567 \rightarrow 3124567 \rightarrow e$$

$$\pi_5 = 4572163 \rightarrow 5412763 \rightarrow 1542763 \rightarrow 5132764 \rightarrow 1572364 \rightarrow 5142367 \rightarrow 1524367 \rightarrow 2154367 \rightarrow e$$

(3) For each $r_{i,j} \neq r_{i,1}$ ($i = 1, 3 \leq j \leq k_1, k_1 \geq 3$) in the cycle representation of p , a path $\pi(r_{i,j})$ is constructed as follows; note that the path $\pi(r_{1,1})$ is the same as the path $\pi(r_{1,2})$:

Each path $\pi(r_{1,j})$, with $3 \leq j \leq k_1 - 1$, is constructed along which m misplaced symbols are corrected in order of the sequence $(r_{1,j}, r_{1,j+1}, \dots, r_{1,k_1}, C_2, \dots, C_k, r_{1,1}, r_{1,2}, \dots, r_{1,j-1})$.

Each path $\pi(r_{1,k_1})$, with $k_1 \geq 3$, is constructed along which m misplaced symbols are corrected in order of the sequence $(r_{1,k_1}, C_2, \dots, C_k, r_{1,2}, \dots, r_{1,k_1-1}, r_{1,1})$.

From the above, we have $|C_1| - 2$ paths, each of length $m + k - 1$. Since $k_1 = 2$ in our example, there exists no path in this class.

(4) An e_j -path is generated by first moving a fixed element e_j to position 3, and then keeping e_j away from its desired position until the other symbols have been corrected. Such an e_j -path, $\pi(e_j)$, is constructed in order of the correction sequence $(e_j, C_2, \dots, C_k, r_{1,k_1}, r_{1,1}, r_{1,2}, \dots, r_{1,k_1-1}, e_j)$.

From this process, we obtain $n - m$ paths, each of length $m + k + 2$. For our example:

$$\pi_6 = 4572163 \rightarrow 5462173 \rightarrow 6542173 \rightarrow 5624173 \rightarrow 6254173 \rightarrow 2614573 \rightarrow 1264573 \rightarrow 2134576 \rightarrow 1274536 \rightarrow 2164537 \rightarrow e$$